

BIO ANALYSIS REPORT

Thermographic Imaging

Spinal Thermographic Imaging


Physiological Screening

Stressor Screening

Trauma Analysis

Support Screening

Client



February '10




THERMO SCREENING

Over-activity

Moderate

Average

Under-activity



This report is not intended to diagnose, treat, cure, or prevent any disease, illness, or health concern. It is for educational and entertainment purposes only. If you are having any symptoms or health concerns, please consult a licensed medical professional. This report and these statements have not been evaluated by the Food and Drug Administration.




THERMO SCREENING

Over-activity

Moderate

Average
















Under-activity



This report is not intended to diagnose, treat, cure, or prevent any disease, illness, or health concern. It is for educational and entertainment purposes only. If you are having any symptoms or health concerns, please consult a licensed medical professional. This report and these statements have not been evaluated by the Food and Drug Administration.




PHYSIOLOGICAL SCREENING





STRESS SCREENING

OVERALL STRESS LEVEL



Family



Finances



Occupation



Travel



Nutrition



Environmental



Emotional



Physical



Mental



Pathogenic



Sleep Related




Relationships





TRAUMA SCREENING



Definitions

Focus — The focus of a trauma can impact an individual’s life in many ways: Past is when the actual trauma is remembered and mentally replayed over and over. Present can be described as associations such as people, places, and things that remind the individual of the trauma. Many times, these associations can be something as simple as a color or a familiar scent. Future can be described as anticipation or a fear of the reoccurrence of the trauma; an avoidance of people, places, or things due to the anticipation of the trauma reoccurring.

Trauma Impact — Some individuals can move past traumas with ease while others hold onto the pain and are constantly reminded of the experience. This measurement was designed to determine the level at which a trauma is impacting an individual whether consciously or subconsciously. Minimal can be considered mild, some emotional stress, and minor energy loss. Moderate can be considered more concerning, repeated associations, fatigue from energy loss, and a mild impact on health. Severe indicates serious stress, major energy loss, and a deep impact on health.



Trauma Release —As traumas are held within the mind and body, they can interfere with our physical, mental, and emotional wellbeing. This is a measurement to determine where the trauma is affecting the individual. Examples of physical could be high blood pressure, weakened immune system, organ imbalance, etc. Mental examples could be memory loss, poor sleeping patterns, depression etc.

Trauma Emotion — A measurement of the possible emotion most experienced due to the trauma. (Suppression is not displaying the emotion that is being felt. This can be very detrimental to health.)




OTHER SUPPORT SCREENING

Essential Oils



Activities



Colors

